



Emcor® Cabinets and Enclosures

www.crenlo.com/emcor | 507-287-3535









Why Crenlo

At a casual glance, many enclosures look pretty much alike. However, all enclosures are not created equal. A quality enclosure not only maintains a better appearance over time, it also does a better job of protecting the components within it; no matter what the external environment.

Crenlo ensures conformance to high quality manufacturing standards in all elements of the fabrication process. Manufacturing process controls are utilized from the moment raw material is received and continue through final product assembly and inspection. Dimensional accuracy is statistically audited and verified throughout the cycle with the aid of three state-of-the-art coordinated measuring machines. All products are produced under the internationally recognized ISO 9001 quality assurance program.



Emcor® Enclosures

Select from three flexible enclosure product lines, each featuring an extensive selection of rack heights, widths, depths, and styles that target your specific design requirements. These cabinets support a mix of computer, data storage, network and security equipment. Use inside or outside the data center in smaller computer rooms or in premiere network applications. A variety of external and internal accessories are available to complete your design. Modified or custom designs are also available.

ESQ®



ESQ Key Product Features:

- 800 lb. static load rating.
- Wide range of sizes to meet various applications.
- Desk and counter high frames for creating work stations.
- Three EIA panel widths 19", 24" and 30."
- Ships fully assembled in 2 weeks.
- Available in the Instant Emcor Quick Ship Program.



G-Series®



G-Series Key Product Features:

- 2000 lb. static load rating.
- Multi-vendor server enclosure
- Wide range of sizes to meet various applications.
- Two EIA panel widths 19" and 24."
- Ships fully assembled in 2 weeks.

10 Series®



10 Series Key Product Features:

- 3500 lb. static load rating.
- Wide range of sizes to meet various applications.
- Desk and counter high frames for creating work stations.
- Two EIA panel widths 19" and 24."
- Ships fully assembled in 2 weeks.
- Available in the Instant Emcor Quick Ship Program.











Our Enclosures Feature:

- Adjustable depth mounting rails that support a wide range of equipment.
- Independent, removable side, top panel, bottom panel and doors.
- Optional thermal management accessories to control airflow.
- A variety of cable management and power options.
- Multi-vendor server enclosure.
- Various door styles to match airflow requirements.
- · Locking side panels and doors for equipment security.

Common Modifications:

- Strut re-locations.
- · Holes and cut-outs.
- Ground studs.
- Pre-assembly or pre-wiring.
- Paint / decals.
- · Service panels.
- Shock & vibration / IBC / seismic / NEMA.

Modifications to the Overall Foot-print

The gray area on charts below show the typical ranges to which each product line can be modified in terms of usable height, depth and width. Standard* sizes are indicated within the gray area.

ESQ

U's	11	U	31	J	5U	7U	9U	11U	13U	15U	17U	19U	21U	23U	25U	27U	29U	31U	33U	35U	37U	39U	41U	43U	45U	47U	49U
Inches	1.	.75	5.	25	8.75	12.25	15.75	19.25	22.75	26.25	29.75	33.25	36.75	40.25	43.75	47.25	50.75	54.25	57.75	61.25	64.75	68.25	71.75	75.25	78.75	82.25	85.75
Usable Height					6U		10U	12U		16L	J	20U			25U		30L	J		35U		40U			45U		
Overall Depth							18.	500 22.	000 2	25.500	30.750)															
Overall Width								21	.062	26.062	32	.062															

^{*}Modifications to the standard foot-print may affect static load ratings, center of gravity and other performance.

G-Series

U's	11	J	3U	5U	Т	7U	9U		11U	13U	15U	17U	19U	21U	23U	25U	27U	29U	31U	33U	35U	37U	39U	41U	43U	45U	47U	49U
Inches	1.3	75	5.25	8.75		12.25	15.	75	19.25	22.75	26.25	29.75	33.25	36.75	40.25	43.75	47.25	50.75	54.25	57.75	61.25	64.75	68.25	71.75	75.25	78.75	82.25	85.75
Usable Height																		300	J		35U		40U	42	U	45U		
Overall Depth										2	6.312	31.	562	36.875	42.	125												
Overall Width									21	.062	26.062																	

^{*}Modifications to the standard foot-print may affect static load ratings, center of gravity and other performance.

10 Series

U's	1U		3U	5U		7U	9U	11U	13U	15U	17U	19U	21U	23U	25U	27U	29U	31U	33U	35U	37U	39U	41U	43U	45U	47U	49U]
Inches	1.7	5	5.25	8.7	5	12.25	15.75	19.25	22.75	26.25	29.75	33.25	36.75	40.25	43.75	47.25	50.75	54.25	57.75	61.25	64.75	68.25	71.75	75.25	78.75	82.25	85.75]
Usable Height										15U		19U 20	U	23U		28U		30U		35U 36	U	40L	J		45U	48U		to 54L
Overall Depth									2	6.312	31.5	562	36.875	42.	125	47.375]
Overall Width									22.562	27.5	62]


^{*}Modifications to the standard foot-print may affect static load ratings, center of gravity and other performance.




CAD files and BOM's are available on our website.


Sample Configurations


The following pages show sample configurations made up of the following frame components. The number of standard options for each type of frame and the associated product line is listed below. Visit our website to download CAD files and complete BOMs.





Dual-Bay	Vertical	Slope Front	Work Surface	Instrument	Turret	Wedge
ESQ	ESQ	ESQ	ESQ	ESQ	ESQ	ESQ
N/A	79 Options	18 Options	22 Options	24 Options	42 Options	66 Options
G-Series	G-Series	G-Series	G-Series	G-Series	G-Series	G-Series
20 Options	40 Options	N/A	N/A	N/A	N/A	N/A
10 Series	10 Series	10 Series	10 Series	10 Series	10 Series	10 Series
N/A	78 Options	8 Options	20 Options	N/A	12 Options	68 Options



























G-Series Idea Guide











































































Options and Accessories


Paint/Finish

Our enclosures are finished in textured powder paint. Powder coating provides a durable high-quality finish. Select from one of nine proprietary color options. If needed, we offer air dry touch-up paint in three convenient sizes.




Door Options

The following door options are available. The doors can be used on the front or rear of the cabinet. Select the type and style combination that best fits your functionality needs; weather it be visibility, air flow management, or simply aesthetics.




Panels

Available in multiple styles, filler panels close off all, or portions of, the top, front, rear, and slope opening areas of the frame. Most styles available in 1U-45U heights and in 1U increments.



Power

Crenlo offers one of the largest selection of enclosure power distribution units (PDUs) available on the market. This complete suite of power products is designed specifically to help IT professionals meet their rapidly escalating power requirements.




Cable Management

Cabinets house more equipment today than ever before. This rise in equipment densities has increased the need for organized cable management. Poor cable management can not only lead to damaged cables or increased time to add or change out cables, but can block critical airflow or access. We offer the proper cable management options to meet varying needs.



Work Surface Styles and Laminate Options

Select from the following work surface styles and laminate options. Unique surfaces such as static dissipative can be accommodated.



Options and Accessories

Accessories

We offer a variety of additional accessories to tailor an enclosure to specific application needs. Most of the items listed below can be used in either the ESQ, G-Series or 10 Series product lines. For a complete list of available accessories visit our website.

Shelves



Chassis Guides (200 lbs.) Monitor Shelf (50 lbs.) Fixed Shelf (125-200 lbs.) Sliding Shelf (90-112 lbs.)

Air Flow Management



Pagoda Style Venting (Natural Convection) Single Fan Panels (550 CFM) Dual Fan Panels (204 CFM) Fan Trays (290-586 CFM) Blowers (125-500 CFM) Pagoda Impellers (1040 CFM)

Drawers



Drawer (2U-8U) (90 lbs.) Drawer with Lid (90 lbs.) Keyboard Tray

Power



Basic, Metered, Monitored, Switched 15-60 Amp 120-208 Volt Vertical and Horizontal Orientations NEMA / IEC / CA Style Plugs and Receptacles Environmental Control (Temp, Humidity, Dew Point)

Grounding



Bus Plate (14 Grounding Holes) Bus Bar (12U-45U) Ground Studs

Cable Management



Vertical Lacing Panels and Cable Organizers Horizontal Lacing Panels and Cable Organizers Overhead Cable Trays Cable Ingress/Egress Panels Velcro and Other Cable Ties

Casters



75# Soft Rubber 75# Polypropylene 180# Hard Rubber 200# Soft Rubber (LK option) 375# Hard Rubber (LK option)

Lighting



Rack-mount or Panel-mount Style LED and Halogen Bulbs 12" and 18" Gooseneck Lengths Bases for conversion to task lighting





Our Commitment

Crenlo's objective is to define our customer's quality requirements, and to produce products and services that meet or exceed those expectations. Crenlo is committed to continuous improvement through education, process advancements and problem prevention.

Emcor Product Portfolio

Emcor® Enclosures

This standard product lineup includes a range of vertical racks and cabinets, which can be configured or modified with numerous accessories and sizes to meet your diverse needs









ESQ®

G-Series®

10 Series®

Data Center

Emcor® Consoles

This standard product lineup includes a range of monitoring and control consoles, which can be configured and modified in countless modular configurations.









FP1

FP2

ESO®

Air Traffic Control

Custom Products

For those needs that fall outside of Crenlo's standard Emcor products, we can build completely custom solutions to meet the needs of any customer.









Inverter Enclosure

Kiosk

NEMA

Package Drop Box

Crenlo I 1600 4th Avenue NW I Rochester, MN 55901 507-289-3371 I www.crenlo.com | CRN.4000.03.17

